Ohio EPA - Daily Discharge Monitoring Report - Form 4500

82513

FACILITY: LOCATION: American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

COUNTY: DISTRICT: SEDO

STATUS:

Original

PERMIT NUMBER:

0GM00142*BG 001

STATION CODE: MONITORING PERIOD:

2009-12-01 To: 2009-12-31 Tra-Det Inc.

REPORTING LAB:

William Thompson

ANALYST: NO DISCHARGE INDICATOR:

PARAMETER CODE UNITS FREQUENCY SAMPLING TYPE 2009-12-01 2009-12-02 2009-12-03	00056 GPD 1/Week 24hr Total Estimate	00400 S.U. 1/Week	00045 Inches	at 25 Degrees C 00095 Umho/cm	Solids 00530	(Volume) 00545	74010
FREQUENCY SAMPLING TYPE 2009-12-01 2009-12-02	1/Week	1/Week		1 Imho/om	·		
2009-12-01 2009-12-02		10.500		*	mg/l	mL/L	mg/l
2009-12-01 2009-12-02	2 viii Toddi Esdinate	Grab	1/Month Total	I/Month Grab	1/Month Grab	1/Month Grab	1/Month Grab
2009-12-02]	Giau	0	Grao	Giab	J Giab	<u> </u>
····		<u></u>	0				
	1500	8.2	0				
2009-12-04	1300	0.2	0				
2009-12-04			0				
2009-12-06			0.05				
2009-12-07						<u> </u>	
			0				
2009-12-08			1.39				
2009-12-09			0			<u> </u>	
2009-12-10	3800	8	0	934	AA 10	.658	1
2009-12-11			0	ļ			
2009-12-12			0				
2009-12-13			0.43				
2009-12-14			0				
2009-12-15			0				
2009-12-16			0				
2009-12-17	800	8	0				
2009-12-18			0				
2009-12-19			0				
2009-12-20			0.5				
2009-12-21			0				
2009-12-22			0			[]	
2009-12-23	<u> </u>		0		-		
2009-12-24	1	8.1	0.32				
2009-12-25			0.33				
2009-12-26			0				
2009-12-27			0.02][] }[
2009-12-28			0.02				
2009-12-29		 				 	
2009-12-29			0			<u> </u>	
			0.16		- '		
2009-12-31	1	8.1	0	0010			
Minimum Maximum	1.0 3800.0	8.0 8.2	0.0	934.0 934.0	0.0	0.658	1.0
Average	1220.4	0.2	0.10323	934.0	0.0	0.658	1.0
Count	5	5	31	1	1	ì	1
ame of Responsible Officia Authorized Representativ Dennis Dubiel	with the information sub- individuals immediately submitted information is	omitted herein and responsible for ob true, accurate and	based on my inquiry of the taining the information, I complete. I am aware that formation, including the p	believe the	nature of Responsible Represe	e Official or Authorized ntative	Submiss Date/Ti 2010-0 18 12:

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY:

LOCATION:

82513

American Energy Corp - Century Mine

43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716 Belmont

COUNTY: DISTRICT: SEDO STATUS: Original

PERMIT NUMBER: STATION CODE: MONITORING PERIOD: REPORTING LAB: 0GM00142*BG

001 2009-12-01 To: 2009-12-31 Tra-Det Inc.

ANALYST: NO DISCHARGE INDICATOR: William Thompson

			NO DISCHARGE			·	
PARAMETER CODE	Manganese, Total						
PARAMETER CODE UNITS	74013 mg/l			l I		<u> </u>	
FREQUENCY	1/Month						
SAMPLING TYPE	Grab						
2009-12-01		<u> </u>					
2009-12-02	<u> </u>						
2009-12-03		<u> </u>					
2009-12-04	<u> </u>					<u> </u>	
2009-12-05							
2009-12-06	<u> </u>	<u> </u>					
2009-12-07							
2009-12-08							
2009-12-09							,
2009-12-10	0.223						
2009-12-11							
2009-12-12							
2009-12-13							
2009-12-14							
2009-12-15							
2009-12-16							
2009-12-17							
2009-12-18							
2009-12-19							
2009-12-20							
2009-12-21							
2009-12-22							
2009-12-23][
2009-12-24							
2009-12-25							
2009-12-26							
2009-12-27							
2009-12-28							
2009-12-29							
2009-12-30							
2009-12-31							
Minimum	0.223				Ţ.		
Maximum	0.223	<u> </u>	ļ	ļ		<u> </u>	·····
Average Count	0.223					<u> </u>	
Name of Responsible Offici or Authorized Representati	al I certify under the pe				Signature of Responsibl Represe	e Official or Authorized entative	Submissio Date/Time
Dennis Dubiel	individuals immedia submitted information	tely responsible for obtai on is true, accurate and co for submitting false infor	ining the information, I is complete. I am aware that	helieve the t there are			2010-01- 18 12:01

Page 2

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY:

LOCATION:

COUNTY:

DISTRICT:

82513

American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

SEDO

STATUS:

Original 0GM00142*BG

PERMIT NUMBER: STATION CODE: MONITORING PERIOD:

002 2009-12-01 To: 2009-12-31

REPORTING LAB: ANALYST: NO DISCHARGE INDICATOR: AL

PARAMETER	Flow Rate	pН	Total Precipitation	Specific Conductance at 25 Degrees C	Total Suspended Solids	Residue, Settleable (Volume)	Iron, Total (Fe)
PARAMETER CODE	00056	00400	00045	00095	00530	00545	74010
UNITS	GPD	S.U.	Inches	Umho/cm	mg/l	mL/L	mg/l
FREQUENCY	1/Week	1/Week	1/Month	1/Month	1/Month	1/Month	I/Month
SAMPLING TYPE	24hr Total Estimate	Grab	Total	Grab	Grab	Grab	Grab
2009-12-01							
2009-12-02							
2009-12-03	<u> </u>						
2009-12-04					·		
2009-12-05							
2009-12-06							
2009-12-07		-		<u> </u>			
2009-12-08							
2009-12-09							
2009-12-10							
2009-12-11							
2009-12-12							
2009-12-13							
2009-12-14							
2009-12-15							
2009-12-16							
2009-12-17							
2009-12-18							
2009-12-19							
2009-12-20			 				
2009-12-21							
2009-12-22			<u> </u>				
2009-12-23							
2009-12-24							
2009-12-25	<u> </u>						
2009-12-26							
2009-12-27			 	¦			
2009-12-28							
2009-12-29	 			,			
2009-12-30							
2009-12-31				 		 	
w. W. of property and a second	ļ						
Minimum Maximum	}			<u> </u>	··· ·· ·· ·	<u> </u>	
Average	 			 		<u> </u>	
Count	}			 			
Name of Responsible Officia	1 It assets and the second	decoration of the F.		ı Sir	nature of Responsible	Official or Authorized	Submission
or Authorized Representativ	p certify ander the pen	arry of faw that I hav abmitted herein and	e personally examined and based on my inquiry of the		Represe		Date/Time
Dennis Dubiel	individuals immediate submitted information	ly responsible for ob is true, accurate and r submitting false in	taining the information, I complete. I am aware that formation, including the p	believe the there are			2010-01- 18 12:01

Page 3

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

COUNTY:

DISTRICT:

82513

American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716 Belmont FACILITY: LOCATION:

SEDO

STATUS:

Original

PERMIT NUMBER: STATION CODE:

0GM00142*BG 002

MONITORING PERIOD: REPORTING LAB:

2009-12-01 To: 2009-12-31

ANALYST: NO DISCHARGE INDICATOR: AL

PARAMETER	Manganese, Total				<u></u>]	
PARAMETER CODE	74013						
UNITS FREQUENCY	mg/l						
SAMPLING TYPE	1/Month Grab				·		
2009-12-01					<u> </u>		
2009-12-02							
2009-12-03							
2009-12-04							
2009-12-05							
2009-12-06							
2009-12-07							
2009-12-08							
2009-12-09							
2009-12-10							
2009-12-11							
2009-12-12							
2009-12-13							
2009-12-14							
2009-12-15							
2009-12-16							
2009-12-17							
2009-12-18							
2009-12-19							-
2009-12-20							
2009-12-21	<u> </u>						
2009-12-22							
2009-12-23							
2009-12-24	,						
2009-12-25							
2009-12-26							
2009-12-27							
2009-12-28							
2009-12-29							
2009-12-30							
2009-12-31							
Minimum	Ĭ				Ĭ		
Maximum	ļ						
Average Count	}		I) 	\ <u></u>	 	
Name of Responsible Officia		nalty of law that I have r	personally examined and		ignature of Responsible	Official or Authorized	Submission
or Authorized Representativ	with the information s individuals immediate submitted information	submitted herein and basely responsible for obtain is true, accurate and coor submitting false informations.	sed on my inquiry of the ning the information, I to emplete. I am aware that rmation, including the pe	pelieve the there are	Represe	ntative	2010-01- 18 12:01

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY: LOCATION: American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

 PERMIT NUMBER:
 0GM00142*BG

 MONITORING PERIOD:
 2009-12-01
 To: 2009-12-31

PARAMETER COMMENTS:

I	Station Code	Parameter Name	Parameter Code	Date	Unit	Comment	